

Deaths from falls

Health Priority G: Intentional and Unintentional Injuries and Violence

Objective G3a: By 2010, the age-adjusted death rate due to falls will be 9.0 per 100,000 population.

2010 Target: 9.0 per 100,000 population

Indicator: Deaths from falls

Wisconsin Deaths from Falls, by Sex and Ethnicity

Year	Deaths per 100,000 Population	Number of Deaths				
		Total	Sex		Ethnicity	
			Females	Males	Hispanic	Not Hispanic
2000	10.9	632	338	294	3	629
2001	11.4	681	366	315	3	678
2002	12.3	753	424	329	2	751
2003	12.5	775	428	347	3	772
2004	12.5	804	443	361	3	801

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

Note: Death rates are age-adjusted to the 2000 U.S. standard population.

Wisconsin Deaths from Falls, by Race

Year	Deaths per 100,000 Population	Number of Deaths					
		Total	African American*	American Indian*	Asian*	White*	Unknown
2000	10.9	632	9	3	1	619	0
2001	11.4	681	8	6	3	664	0
2002	12.3	753	13	4	0	736	0
2003	12.5	775	14	7	6	747	1
2004	12.5	804	11	4	1	788	0

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

Note: Death rates are age-adjusted to the 2000 U.S. standard population.

*Race groups in this table include Hispanics.

Continued on next page

Deaths from falls, continued

Wisconsin Deaths from Falls, by Age

Year	Deaths per 100,000 Population	Number of Deaths							
		Total	Age <1 year	Ages 1-14	Ages 15-24	Ages 25-44	Ages 45-64	Ages 65-84	Ages 85+
2000	10.9	632	0	4	8	19	48	240	313
2001	11.4	681	0	2	8	17	58	262	334
2002	12.3	753	1	1	4	25	74	254	394
2003	12.5	775	1	5	6	36	66	285	376
2004	12.5	804	1	1	9	25	69	276	423

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

Note: Death rates are age-adjusted to the 2000 U.S. standard population.